

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	password same reminder same encrypt\$5 and @ad<"19990617"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 09:00
L2	335	713/193.ccls. and @ad<"19990617"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 09:00
L3	1118	713/200.ccls. and @ad<"19990617"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 09:00
L4	658	@ad<"19990617" and pin with passwords	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 09:01
L5	6	@ad<"19990617" and single adj password same password with list	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 09:01
L6	1672	@ad<"19990617" and password with file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 09:01
L7	118	@ad<"19990617" and stor\$5 with pins same memory same encrypt\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 09:01
L8	13	(2 3) and reminder	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 09:01
L9	594	(2 3) and password	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 09:01
L10	429	(2 3) and decrypt	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 09:01

L11	77	(2 3) and decrypt and pin	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 09:01
S1	21	@ad<"19990617" and forgot\$4 with password and encrypt\$5 and question	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/06 08:48
S2	5	@ad<"19990617" and forgot\$4 with password and encrypt\$5 and personal with question	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/06 08:49
S3	98	@ad<"19990617" and encrypt\$5 and personal with question	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/06 08:49
S4	55	@ad<"19990617" and encrypt\$5 and personal near3 question	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/06 08:50
S5	30	@ad<"19990617" and encrypt\$5 and personal near3 question and password	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/06 09:03
S6	204	@ad<"19990617" and display\$2 with success with (message picture icon)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/06 09:04
S7	12	@ad<"19990617" and display\$2 with success with (message picture icon) and user with choos\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/06 09:06
S8	1	password same reminder same encrypt\$5 and @ad<"19990617"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/01 15:04
S9	5642	passwords same encrypt\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/05 09:41

S10	3999	passwords with encrypt\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/05 09:41
S11	1562	(passwords with encrypt\$5) and @ad<"19990617"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/05 09:41
S12	313	713/193.ccls. and @ad<"19990617"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/05 09:45
S13	160	713/183.ccls. and @ad<"19990617"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/05 09:47
S14	464	713/202.ccls. and @ad<"19990617"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 09:00
S15	76	passwords with encrypt\$5 same pin and @ad<"19990617"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/05 09:50
S16	2	((713/193.ccls. and @ad<"19990617") (713/183.ccls. and @ad<"19990617") (713/202.ccls. and @ad<"19990617")) and password same reminder	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/05 09:52
S17	643	@ad<"19990617" and pin with passwords	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/05 09:54
S18	489	(@ad<"19990617" and pin with passwords) and memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/05 09:53
S19	289	((@ad<"19990617" and pin with passwords) and memory) and encrypt\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/05 09:54

S20	180	(((@ad<"19990617" and pin with passwords) and memory) and encrypt\$5) and decrypt\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/05 09:54
S21	43	@ad<"19990617" and pin with passwords same decrypt\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/05 09:57
S22	11	@ad<"19990617" and password with list with pin	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/05 11:16
S23	3318	@ad<"19990617" and code with bank	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/05 11:16
S24	911	@ad<"19990617" and code with bank same memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/05 11:16
S25	37	@ad<"19990617" and code with bank same memory and decrypt\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/05 11:18
S26	59	@ad<"19990617" and passwords with memory and decrypt and pin	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/05 11:18
S27	85	@ad<"19990617" and passwords with memory and decrypt\$5 and pin	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/05 11:35
S28	17	@ad<"19990617" and single with password with list	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/05 11:41
S29	9	@ad<"19990617" and decrypt\$5 with password with list	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/05 11:41

S30	517	@ad<"19990617" and decrypt\$5 with passwords	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/05 11:42
S31	81	@ad<"19990617" and decrypt\$5 adj passwords	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/05 11:42
S32	0	@ad<"19990617" and decrypt\$5 adj (passwords NOT password)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/05 11:42
S33	6	@ad<"19990617" and single adj password same password with list	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/05 11:44
S34	1629	@ad<"19990617" and password with file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/05 11:44
S35	33	@ad<"19990617" and password with file same pin	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/05 12:20
S36	245	@ad<"19990617" and encrypt\$5 with password with (bank list group file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/05 12:20
S37	65	@ad<"19990617" and encrypt\$5 with password with (bank list group)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/05 12:29
S38	50	@ad<"19990617" and 380/284.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/05 12:34
S39	2924	@ad<"19990617" and stor\$5 with pins same memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/05 12:35

S40	118	@ad<"19990617" and stor\$5 with pins same memory same encrypt\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/05 12:52
S41	0	@ad<"19990617" and stor\$5 with pins same memory same encrypt\$5 with biometric	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/05 12:44
S42	23	@ad<"19990617" and (view\$5 retrieve\$3) with pin with encrypted	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/05 12:52
S43	1	"5541994".PN.	USPAT	OR	OFF	2004/01/05 13:44
S44	1	"5469506".PN.	USPAT	OR	OFF	2004/01/05 13:45
S45	5	(US-6253328-\$ or US-4453074-\$ or US-6006333-\$ or US-6460138-\$ or US-5712912-\$).did.	USPAT	OR	OFF	2004/01/05 13:48
S46	1	((US-6253328-\$ or US-4453074-\$ or US-6006333-\$ or US-6460138-\$ or US-5712912-\$).did.) and american	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/05 13:48
S47	153	"4453074".URPN.	USPAT	OR	ON	2004/01/05 14:03
S48	141154	makoto.inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/05 14:36
S49	9902	makoto.inv. and matsushita	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/05 14:37
S50	223	makoto.inv. and matsushita and tatebayashi	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/05 14:37
S51	14	makoto.inv. and matsushita and tatebayashi and password	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/05 14:44
S52	2	tomes and veritel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/05 14:44

S53	17898493	@ad<"19990617"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/06 11:18
S54	106	password with expiration and @ad<"19990617"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/06 14:13
S55	283	password with enter with time and @ad<"19990617"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/06 14:13
S56	0	password with enter with time and @ad<"19990617" same decrypt	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/06 14:14
S57	29	password with enter with time and @ad<"19990617" and decrypt	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/06 14:14
S58	17921696	@ad<"19990617"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/01 15:05
S59	323	@ad<"19990617" and correct\$2 near2 decrypt\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/01 15:07
S60	0	@ad<"19990617" and correct\$2 near2 decrypt\$3 with user with (reminder reference)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/01 15:11
S61	38	@ad<"19990617" and correct\$2 near2 decrypt\$3 with user	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/01 15:33
S62	1	@ad<"19990617" and user near2 enter\$2 with (reminder indicator) same decrypt\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/01 15:36

S63	4	@ad<"19990617" and user near2 enter\$2 with (reminder indicator) same (encrypt\$4 decrypt\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/01 15:37
S64	13	@ad<"19990617" and reminder with user adj enter\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/01 15:45
S65	60	@ad<"19990617" and forgot\$4 with password and user adj enter\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/06 08:28
S67	2	"9918495"	US-PGPUB; USPAT; USOCR	OR	ON	2004/11/09 15:47
S68	1	"99/18495"	US-PGPUB; USPAT; USOCR	OR	ON	2004/11/09 15:47
S69	3091	ericsson and "1999"	US-PGPUB; USPAT; USOCR	OR	ON	2004/11/09 15:47
S71	29	ericsson and "1999" and "345"/\$. ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2004/11/09 15:48
S72	29	ericsson and "1999" and "345"/\$. ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2004/11/09 15:49
S73	29	ericsson and "1999" and "345"/\$. ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2004/11/09 15:49